

Perseids PID-Kernel

	Property identifier	Content format	Example Value	Notes
1	PID	Handle	<handle>	We do not currently assign handles to our data but this assumes we have the infrastructure to do so.
2	RDAKIProfileType	Handle	<handle>	
3	digitalObjectType	Handle	<handle>	We do not currently have our data types registered in a DTR but this assumes we have the infrastructure to do so.
4	digitalObjectLocation	URL	http://sosol.perseids.org/sosol/api/v1/items/{local id}	API call to Perseids to retrieve the digital object
5	etag	Hex String	<checksum>	What are the requirements for ensuring that this is kept up to date? Versioning issues need to be thought through.
6	lastModified	ISO Date	<datetime>	What are the requirements for ensuring that this is kept up to date? Versioning issues need to be thought through.
7	creationDate	ISO Date	<datetime>	
8	version	String	<commit hash>	
9	wasDerivedFrom	Handle	-	May or may not be supplied. More likely to supply if it we have flexibility on the format (i.e. if it doesn't have to be a handle)
10	specializationOf	Handle	-	Probably would not use right now
11	revisionOf	Handle	-	Depends upon if/how versioning is implemented and answer to the question of whether a new handle record has to be minted for every version of an object.
12	primarySourceOf	Handle	http://hdl.handle.net/urn:cts:greekLit:tlg0012.tlg001.perseus-grc1:1.1	If we implement the CTS Handle solution, then this could be a handle. If not, we need more flexibility on the content format.
13	quotationOf	Handle	-	Could envision using eventually if we had the infrastructure to support it.
14	alternateOf	Handle	-	Could envision using eventually if we had the infrastructure to support it.
15	hadMember	Handle	-	Think this should be done through the collections api
16	externalW3CPROVDoc	Handle	-	We are a long way from being able to do this, but we would like to.

